

Advisory Bulletin



BUILDING VALUE SINCE 1906

TB-89 GREENGUARD® Certification Information on Bobrick's Toilet Partition Materials

The following Bobrick toilet partition materials have been **GREENGUARD®** Indoor Air Quality Certified by **GREENGUARD** Environmental Institute under the **GREENGUARD** standard for Low Emitting Products.

Material	Manufacturer	GREENGUARD CERTIFIED
Plastic Laminate	Wilsonart	Yes
Solid Phenolic	Arborite	Yes
SCRC	Trespa	Yes

GREENGUARD Indoor Air Quality Standard for Low Emitting Products

GREENGUARD Indoor Air Quality Certified Products meet the following minimum emission requirements for Surfacing Material Category:

	Standard	OEM
Individual VOCs	≤0.1 TLV	≤0.1 TLV
Formaldehyde	≤0.05 ppm	≤0.025 ppm
4-Phenylcyclohexene	≤0.0065 mg/m ³	≤0.0033 mg/m ³
Total VOCs	≤0.5 mg/m ³	≤0.25 mg/m ³
Total Aldehydes	≤0.1 ppm	≤0.05 ppm

Listing of measured carcinogens and reproductive toxins as identified by California Proposition 65, the U.S. National Toxicology Program (NTP), and the International Agency on Research on Cancer (IARC) must be provided

Any pollutant regulated as a primary or secondary outdoor air pollutant must meet a concentration that will not generate an air concentration greater than that promulgated by the National Ambient Air Quality Standard (U.S. EPA, code of Federal Regulations, Title 40, Part 50).

For Trespa® Solid Color Reinforced Composite (SCRC), Arborite® Solid Phenolic and Wilsonart® Plastic Laminate materials. Copies of the GREENGUARD® certificates are available upon request.

The **GREENGUARD INDOOR AIR QUALITY CERTIFIED®** MARK is registered certification mark used under license through the **GREENGUARD** Environmental Institute.

