


CUBICLES & TOILET PARTITION SYSTEMS



BUILDING VALUE SINCE 1906



STEPS TO SPEC

HOW TO SPECIFY BOBRICK CUBICLES & PARTITIONS



Bobrick cubicles and partitions are made-to-order products. To specify Bobrick cubicles and partitions, follow Steps to Spec, our consistent methodology for customizing your design, referenced throughout this catalog.

For a quick specification reference, get the Bobrick Steps to Spec guide. Download yours at bobrick.com/steps.




Select a System

PRIVADA® Cubicles, Evolve Cubicles or Traditional Partitions



Select a Material

Material options include Compact Grade Laminate (CGL), Solid Color Reinforced Composite (SCRC), High Pressure Laminate (HPL), and Wood Veneer Laminate, with availability varying by system.



Select Privacy Options

Gap-free design, increased door and panel heights and reduced floor clearance are standard on PRIVADA and Evolve Cubicles, and optional on Traditional Partitions.



Select Design Options

A range of colors, patterns and finishes available for all systems. With Traditional Partitions, choose mounting configuration, hardware and add dividers or screens.


A FULL LINE OF CUBICLES & PARTITIONS

AN ENGINEERED SELECTION

Bobrick has expanded its selection to include a full line of cubicles and toilet partitions. All Bobrick products are specially engineered with unique, rigorously tested hardware, providing an unrivaled range of design options.

ONLINE RESOURCES


Discover a wealth of information and helpful tools at bobrick.com. You can also access Case Studies, Technical Data, Guide Specifications, BIM Objects and more. Manage projects, build your specification and generate client deliverables using Bobrick's **Digital Spec Builder** at bobrick.com/digital-spec-tool.



GET TO KNOW OUR SYSTEMS

Start your design by selecting one of Bobrick's cubicle and partition systems: PRIVADA Cubicles, Evolve Cubicles and Traditional Partitions.

Evaluate systems on pages 2 and 3.



CONTENTS

- 2 Select a System
- 4 PRIVADA Cubicles
- 8 Evolve Cubicles
- 12 Traditional Partitions
- 18 Material Overview
- 20 Color Selection
- 25 Services & Programs



SELECT A SYSTEM

THREE UNIQUE PRODUCTS TO ACHIEVE YOUR GOALS



Prestige Properties

Bobrick now offers three cubicle and toilet partition systems to meet the needs of any building. Start by selecting a system, then refine design options using the **STEPS TO SPEC** process.

Prestige Properties: Class A and marquee properties require elevated design aesthetics and enhanced privacy.



Heavy Traffic Facilities

Heavy Traffic: Buildings like schools, airports and convention centers demand durable, economical solutions that deliver day-to-day performance.



Standard Use Buildings


Standard Use: Standard offices, industrial facilities, as well as some schools and universities, require simple, budget-friendly partitions that prioritize durability and design options.

PRIVADA CUBICLES: FOR A DISTINCTIVE DESIGN




With elevated design and privacy, PRIVADA is ideal for prestige projects.

EVOLVE CUBICLES: FOR OPTIMIZED DURABILITY & PRIVACY



TRADITIONAL PARTITIONS: FOR OPTIONS THAT PERFORM



PRIVADA CUBICLES

HIGH PRESSURE LAMINATE (HPL) & WOOD VENEER LAMINATE



Self-closing doors
close smoothly and
gradually

..... Award-winning occupancy
indicators with discreet
emergency access release

Floating effect
enabled by recessed
foot pedestals

Limited distribution

ELEVATED DESIGN. EDUCATED DECISION.

PRIVADA Cubicles offer the elevated aesthetics, functionality and privacy that the most discerning restroom patrons have come to expect.

PRIVADA's distribution is limited. Reach out on privadacubicles.com to be contacted by a PRIVADA representative.

APPLICATIONS

- Class A offices
- Premium restaurants
- VIP lounges and suites



MATERIAL PRICING & LEAD TIME




| MATERIAL | HPL | Wood Veneer Laminate |
|-------------|-----------|----------------------|
| Price Index | \$\$\$\$ | \$\$\$\$\$ |
| Lead Time | 6-8 weeks | 10-12 weeks |

Price Index based on a relative scale of \$ to \$\$\$\$\$. Price and lead time estimates apply only to standard color selection.

Interlocking panels eliminate sightlines and form flush surfaces


PRIVADA

STEPS TO SPEC

|  Select a Material |  Select Privacy Options |  Select Design Options |
|--|---|---|
| <ul style="list-style-type: none"> <input type="checkbox"/> High Pressure Laminate (HPL) <input type="checkbox"/> Wood Veneer Laminate <p>ASTM E 84 Fire Rating: Class B</p> <p><i>See page 18 for material descriptions.</i></p> | <p>Height Options</p> <ul style="list-style-type: none"> <input type="checkbox"/> Standard: 72" doors & panels, 9" floor clearance <input type="checkbox"/> Extended: 73"-96" doors & panels, 4" floor clearance | <p>Finish Options</p> <ul style="list-style-type: none"> <input type="checkbox"/> Stainless Steel Pedestal ¹ <p>Hardware Options</p> <ul style="list-style-type: none"> <input type="checkbox"/> Hands-free Latch ¹ <p>Colors, Patterns & Woodgrains: See pages 22-23 for HPL colors and wood veneer laminate</p> <p>¹ Upcharge applies</p> |

HARDWARE & PEDESTAL

Thoughtfully crafted, minimalist hardware makes a sophisticated design statement. Stainless steel hardware with concealed fasteners and connection points come standard.



Reduce contact with public surfaces with our new hands-free latch. The larger surface area allows for elbows and wrists to operate the latch for a more hygienic experience



Occupancy indicator with emergency access release



Latch and keeper locks provide confirmation that the lock is in place



Hinge actuates self-closing doors to provide a gradual closing speed



Coordinated hook incorporates door-bumper



Recessed foot pedestals contribute to signature "floating" effect; choose from durable anodized aluminum or stainless steel pedestals



PRIVADA's signature floating effect is enabled by recessed foot pedestals, appearing suspended without compromising stability.

DESIGNER'S NOTE

Privacy is not just a trend—it is an expectation. Learn more by registering for our new **AIA/HSW CEU course, “Design Solutions for Restroom Privacy.”**

ILLUMINATING PRIVACY & HIGH-END DESIGN

BANK GLOBAL HEADQUARTERS

When you want to invest in your employees, invest in their spaces—even the ones that customers might never see. A global, publicly-traded bank embraced that strategy in 2017, putting PRIVADA at the center of their restroom renovation. “The cubicles create a room-like environment that transcends a typical commercial look,” says architectural sales representative Dena Taylor.



PROJECT DETAILS

| | |
|------------------|---|
| Location | Pasadena, CA |
| Architect | Space Light Structure Design (Pasadena, CA) |
| Finishes | Sterling Ash by Wilsonart® |

READ MORE



Scan the QR code to get the full case study.

EVOLVE CUBICLES

COMPACT GRADE LAMINATE (CGL)

72" single-piece divider panels for optimized compliance with aesthetics

Fully anodized aluminum framing system provides durability

Award-winning occupancy indicators with discreet emergency access release

1/2" Compact Grade Laminate doors and fascia panels

Spring-loaded pedestal actuates soft-close door

PRIVACY & DURABILITY. EVOLVED.

Evolve Cubicles help design professionals create resilient, European-style cubicle systems without compromising project budgets.

APPLICATIONS

- Shopping centers
- Stadia and arenas
- Airports and convention centers
- Higher education
- Class B offices
- Locker rooms



MATERIAL PRICING & LEAD TIME




| MATERIAL | CGL |
|-------------|-----------|
| Price Index | \$\$\$ |
| Lead Time | 6-7 weeks |

Price Index based on a relative scale of \$ to \$\$\$\$\$. Price and lead time estimates apply only to standard color selection.



Built-in
European-style
privacy eliminates
sightlines

STEPS TO SPEC

|  Select a Material |  Select Privacy Options |  Select Design Options |
|--|---|---|
| <p><input type="checkbox"/> Compact Grade Laminate</p> <p><i>See page 18 for material description.</i></p> | <p>Height Option</p> <p><input type="checkbox"/> Standard: 72" doors & panels, 9" floor clearance (overall cubicle height of 82")</p> <p><input type="checkbox"/> Max: 79 5/8" doors & 80" panels, 1" floor clearance (overall cubicle height of 82 5/16")</p> | <p>Colors, Patterns & Woodgrains: See page 20 for CGL colors, patterns and woodgrains.</p> |

HARDWARE & PEDESTAL

Evolve's anodized aluminum hardware and fittings provide the built-in privacy and modern function that discerning projects demand.



EVOLVE MAX FOR MAXIMUM PRIVACY



The benefits of Evolve, with added privacy. The overhead-braced installation has a soft-close mechanism incorporated into headrail.



RESILIENCE FOR RETAIL

SHOPPING CENTER

For a women's and men's restroom renovation, the shopping center's internal design team knew that an appropriate cubicle system needed to stand up to periods of heavy traffic while providing a quality, private experience that customers prefer.

PROJECT DETAILS

| | |
|------------------|--------------------------|
| Location | Santa Clarita, CA |
| Architect | 0328-FH Brushed Aluminum |

TRADITIONAL PARTITIONS

COMPACT GRADE LAMINATE, SOLID COLOR REINFORCED COMPOSITE



Reduced-Gap and
Gap-Free options

..... Four mounting configurations,
including Overhead-Braced

Highly durable, easily
cleanable materials

& HIGH PRESSURE LAMINATE



PERFORMANCE. PRIVACY. OPTIONS.

When budget is a priority, our Traditional Partitions deliver durability with a range of privacy and design options.

APPLICATIONS

- Schools and universities
- Mass transit
- Standard offices
- Industrial facilities



MATERIAL PRICING & LEAD TIME

| MATERIAL | Price Index | Lead Time |
|--------------------------------|-------------|-----------|
| DuraLineSeries® CGL | \$\$ | 10 days |
| SierraSeries® SCRC | \$\$\$ | 10 days |
| DesignerSeries™ HPL | \$\$ | 10 days |

Price Index is based on a relative scale of \$ to \$\$\$\$\$, with price and lead time estimates applying to standard color selections only; DesignerSeries HPL is available in the U.S. only.

TRADITIONAL PARTITIONS

STEPS TO SPEC

Select a Material



DuraLineSeries® CGL **Compact Grade Laminate (CGL)**

Engineered for wet and high-traffic environments, featuring a polished black edge design, wide selection of colors, patterns and woodgrains and a 25-year warranty.

Learn how DuraLineSeries CGL helped Vashon Island High School achieve Washington state's first all-gender school restroom on page 17.

See page 18 for specifications and page 20 for colors, patterns and woodgrains.



SierraSeries® SCRC **Solid Color Reinforced Composite (SCRC)**

A solid, color-through material that is perfect for high traffic and vandal-prone applications, such as schools, with a 25-year warranty.

Learn about SierraSeries SCRC's lasting, 15-year legacy of durability at Strasburg High School on page 17.

See page 18 for specifications and page 21 for colors.



DesignerSeries™ HPL² **High Pressure Laminate (HPL)**

Suitable for projects from budget to prestige, our HPL series provide versatile options with our widest range of colors and finishes. Standard steel core stiles and 2-year limited warranty.

Visit bobrick.com for information about our Budget HPL Series ².

See page 18 for specifications and pages 22 and 23 for colors, patterns and woodgrains.

² U.S. Only




STEPS TO SPEC



Select Privacy Options

Privacy is increasingly seen as an expectation. Gaps and sightlines are among the most common complaints about today's toilet partitions.


HEIGHT OPTIONS



Standard Height:
58" doors & panels,
12" floor clearance
Available On: All Systems



Maximum Height:
71 3/4" doors & panels,
4 1/2" floor clearance
Available On: All Systems



Extended Height:
84" to 96" doors & panels,
1" floor clearance
Available On: DuraLineSeries CGL
(Overhead-Braced and Floor-to-Ceiling only)

GAP OPTIONS



Standard Reduced-Gap:
±3/32" door-to-stile gaps,
1/2" to 1" wall gaps
Available On: All Systems



Gap-Free Doors & Stiles:
Interlocking, sightline-free design
Available On: DuraLineSeries CGL,
SierraSeries SCRC



Select Design Options

MOUNTING CONFIGURATIONS



Floor-Anchored



Overhead-Braced



Floor-to-Ceiling



Ceiling-Hung

TRADITIONAL PARTITIONS

Select Design Options (continued)

STANDARD HARDWARE:

Standard concealed stainless steel barrel hinges adjust for partial opening or self-closing; stainless steel brackets, latch and door pull.



HARDWARE OPTIONS

Heavy Duty Full-Height Stainless Steel Brackets



Occupancy Indicator Latch

(Standard with Extended Privacy, Part Number 1002612)






COLORS, PATTERNS & WOODGRAINS

See pages 20-23 for standard color selections

DIVIDERS & SCREENS

Visit bobrick.com for specifications

STEPS TO SPEC (SUMMARY)

|  Select a Material |  Select Privacy Options |  Select Design Options |
|---|---|--|
| <ul style="list-style-type: none"> <input type="checkbox"/> DuraLineSeries CGL ASTM E 84 Fire Ratings: Class A (1180 Series) or Class B (1080 Series) <input type="checkbox"/> SierraSeries SCRC ASTM E 84 Fire Rating: Class B (1090 Series) <input type="checkbox"/> DesignerSeries HPL ASTM E 84 Fire Rating: Class B (1040 Series) <p>Visit bobrick.com for our Budget HPL Series.</p> | <p>Height Options</p> <ul style="list-style-type: none"> <input type="checkbox"/> Standard: 58" doors & panels, 12" floor clearance Available On: All Systems <input type="checkbox"/> Maximum 71 3/4" doors & panels, 4 1/2" floor clearance Available On: All Systems <input type="checkbox"/> Extended: 84" to 96" doors & panels, 1" floor clearance Available On: DuraLineSeries CGL (Overhead-Braced and Floor-to-Ceiling only) <p>Gap Options</p> <ul style="list-style-type: none"> <input type="checkbox"/> Standard Reduced-Gap Available On: All Systems <input type="checkbox"/> Gap-Free Doors & Stiles Available On: DuraLineSeries CGL, SierraSeries SCRC | <p>Hardware Options</p> <ul style="list-style-type: none"> <input type="checkbox"/> Heavy Duty Full-Height Stainless Steel Brackets <input type="checkbox"/> Occupancy Indicator Latch (Standard with Extended Privacy) <p>Mounting Configurations</p> <ul style="list-style-type: none"> <input type="checkbox"/> Floor-Anchored <input type="checkbox"/> Overhead-Braced <input type="checkbox"/> Floor-to-Ceiling <input type="checkbox"/> Ceiling-Hung <p>Colors, Patterns & Woodgrains: See pages 20-23 for CGL, SCRC and HPL colors</p> |

TRADITIONAL PARTITIONS



A FIRST FOR PRIVACY VASHON ISLAND HIGH SCHOOL

Vashon Island High School, just outside of Seattle, recently became home to the first all-gender school restroom in Washington state. Bobrick DuraLineSeries CGL, Gap-Free, Maximum Height partitions with heavy duty, full-height brackets were pivotal to achieving the necessary privacy and durability that school restrooms often demand.

PROJECT DETAILS

| | |
|-----------------|-----------------------------------|
| Location | Vashon, WA |
| Finishes | 4878-60 Wilsonart® Pewter Mesh |

READ MORE



Scan the QR code to get the full case study.



A LESSON IN DURABILITY

STRASBURG HIGH SCHOOL

When Strasburg High School replaced its original wood partitions from the 1960s, the new installation turned out to be virtually ageless. After 15 years and counting, SierraSeries SCRC partitions are still providing outstanding damage resistance. The school reports the installation is still holding up like new.

PROJECT DETAILS

| | |
|-----------------|-------------------|
| Location | Strasburg, CO |
| Finishes | SCO1 Golden Khaki |

READ MORE



Scan the QR code to get the full case study.


MATERIAL OVERVIEW

COMPACT GRADE LAMINATE (CGL)

Material Specification: Solidly fused plastic laminate with matte-finish melamine surfaces; integrally bonded colored face sheets and black phenolic-resin core.

- Scratch, moisture, impact and graffiti resistant
- Class A or B ASTM E 84 classification
- Wide selection of colors and patterns

Available on: Evolve Cubicles, Traditional DuraLineSeries CGL




SIERRASERIES SCRC

Material Specification: Dyed wood fibrous material reinforced with polycarbonate and phenolic resins fused into a homogeneous piece.

- Solid color-through material
- Scratch, dent, moisture and impact resistant with Graffiti-Off surfaces
- Class B ASTM E 84 classification
- Through-bolted panel-to-stile bracket, keeper and robe hook

Exclusively Available on: Traditional SierraSeries SCRC




HIGH PRESSURE LAMINATE (HPL)

Material Specification: High Pressure Laminate with a 45 lb density, industrial grade, resin-impregnated particle board substrate. Wood Veneer Laminate substitutes decorative paper with wood veneer.

- 1" doors, stiles and panels
- Impact and graffiti resistant
- Class B ASTM E 84 classification

Available on: PRIVADA® Cubicles, plus Traditional DesignerSeries® and Budget HPL Series in the U.S. only.



DESIGNER'S NOTE

All Bobrick cubicle and partition materials comply with applicable U.S. fire codes. Get ASTM E 84 test documentation and more at bobrick.com.

DURABILITY COMPARISON

Scratch, Dent and Graffiti Resistance

Compared to competitive materials, Bobrick materials perform exceptionally well for scratch, dent and graffiti resistance when subjected to industry-standard ASTM test protocols. Consider the relative price of Bobrick's high performance substrates and it's clear: Bobrick materials are the pinnacle of value.

| | Material | Price Index | Scratch Resistance ASTM D 2197 Weight Required to Scratch | Impact Resistance ASTM D 2794 Visible Damage, Inches-Pounds Per Force (lbf) | Graffiti Resistance ASTM D 6578 Marks Removed (Out of 6) | Interior Finish Classification ASTM E 84 |
|--------------------------------|---|-------------|---|---|--|---|
| Bobrick Materials | Compact Grade Laminate (CGL) (Black Core) | \$\$-\$\$\$ | >10kg | 168" -lbf | 5 | Class A or B |
| | Solid Color Reinforced Composite (SCRC) | \$\$\$ | 6.0kg | 42" -lbf | 5 | Class B |
| | High Pressure Laminate (HPL) ³ | \$-\$\$\$\$ | >5.3kg | 22" -lbf | 6 | Class B |
| Other Manufacturers' Materials | Powder-Coated Metal | \$ | <0.5kg | 2" -lbf | 4 | Class A |
| | Plastic (HDPE) | \$\$ | <0.5kg | <1" -lbf | 3 | In 48 states and Washington, D.C., ASTM E 84 is not the relevant test. Must pass an unmodified NFPA 286 test. |
| | Stainless Steel | \$\$\$\$\$ | 1.0kg | 2" -lbf | 5 | Class A |

³ not applicable for Wood Veneer Laminate

Bobrick Materials



Compact Grade Laminate (CGL)



Solid Color Reinforced Composite (SCRC)



High Pressure Laminate (HPL)

Other Manufacturers' Materials



Powder-Coated Metal



Plastic (HDPE)




Stainless Steel

COLOR SELECTION

CGL STANDARD COLORS & PATTERNS

Single Piece Panels Available Up To 5'



⁴ Wilsonart® SOLICOR™ is a specialty laminate with a solid color core to match the surface. Base color upcharge applies to all Solicor. Premium color upcharge applies to Satin Stainless with Dove Grey Core and Designer White with White Core.

Single Piece Panels Available Up To 6' ⁵



Additional Colors: Solid Color CGL - Wilsonart® Solicor™ Colors & Patterns

Non-stock; made to order, lead times and color upcharge premiums apply. Samples can be requested from the manufacturer.



⁴ Wilsonart® SOLICOR™ is a specialty laminate with a solid color core to match the surface. Base color upcharge applies to all Solicor. Premium color upcharge applies to Satin Stainless with Dove Grey Core and Designer White with White Core.

⁵ Standard color by ABET LAMINATI and FUNDERMAX® allows for single panel width up to 72", eliminating use of additional hardware. Meets Class A fire rating without upcharge.

Hundreds of additional CGL colors are available from our partners; additional lead time will apply. Please consult with ABET LAMINATI®, ARBORITE®, FORMICA®, Wilsonart® or FUNDERMAX for color options. Non-stock Abet Laminati or FUNDERMAX colors carry a significant lead time of 10-14 weeks.

ABET LAMINATI is a trademark of ABET Inc. and ABET LAMINATI S.p.A. ARBORITE and Wilsonart are registered trademarks of Wilsonart Engineered Surfaces and Wilsonart International, Inc. SOLICOR is a trademark of Wilsonart Engineered Surfaces and Wilsonart International, Inc. FORMICA and the FORMICA Anvil logo are registered trademarks of The Diller Corporation. © 2015 The Diller Corporation. FUNDERMAX is a registered trademark of FUNDERMAX GmbH.

SCRC STANDARD COLORS




Golden Khaki
SC01



Desert Beige
SC02



Terra Cotta
SC03



Forest Green
SC04

SCRC minor edge nicks and random color variations are normal consequences of manufacturing material containing natural fibers. Material can vary in color between thicknesses and production batches.

Trespa is a registered trademark of Trespa International BV.



PERFORMANCE SPOTLIGHT

SCRC: Hard to Scratch. Easy to Clean.

The proof is in the testing. SCRC offers the performance you need for high traffic and vandal-prone restrooms.



5 out of 6 marks removed

The ASTM D 6578 graffiti resistance test consists of preparing material samples with marks from six staining agents. After 24 hours, the marks are cleaned until they are removed.

Five out of six marks were removed from SCRC.



Zero scratches under 6 kg of weight

In the ASTM D 2197 scratch resistance test procedure, weights up to 10 kg (22 lbs) are added to a scraper and a material sample is dragged beneath the scraper. When a scratch occurs, the weight is recorded.

SCRC did not scratch with 6 kilograms of weight.

COLOR SELECTION

HPL STANDARD COLORS & PATTERNS

| | | | | |
|---|---|---|--|---|
|  |  |  |  |  |
| Designer White D354-60 | Natural Almond D30-60 | Beige 1530-60 | Otter 3202-58 | Shadow D96-60 |
|  |  |  |  |  |
| Slate Grey D91-60 | Moonstone 7872-58 | Grey 1500-60 | Platinum D315-60 | Mouse 928-58 |
|  |  |  |  |  |
| Terril 2297-58 | Black 1595-60 | White Carrara 4924-38 | Neutral Weft 5875-58 | Flax Gauze 7708-58 |
|  |  |  |  |  |
| Desert Zephyr 4841-60 | Cardboard Solidz 7813-58 | Pewter Mesh 4878-38 | Sheer Mesh 4876-38 | Classic Linen 4943-38 |
|  |  |  |  |  |
| Satin Stainless 4830K-18 ⁶ | Citadel Warp 5882-58 | White Ash 8841-58 | Field Elm 7999-60 ⁶ | Danish Maple 8906-58 |
|  |  |  |  | |
| Millennium Oak 5887-58 | Bleached Legno 8845-58 | Smoky Brown Pear 5488-58 | Blackened Steel 8918-58 | |

⁶ Premium HPL colors carry an upcharge. Panels over 60" wide with directional patterns and finishes will be spliced, joining the 2 pieces on the particle board at an additional charge. HPL colors are printed reproductions and are for descriptive purposes only. Refer to manufacturer's samples for absolute color fidelity. Refer to bobrick.com and iBob for additional information on lead times on Wilsonart and FORMICA colors.

Wilsonart is a registered trademark of Wilsonart International, Inc.; FORMICA, and the FORMICA Anvil logo are registered trademarks of The Diller Corporation. © 2015 The Diller Corporation.

 Wilsonart



Additional Colors for PRIVADA® Cubicles Only: Wood Veneer Laminates

Note: Made to order; lead times and significant color upcharge premiums apply. Samples can be requested from the manufacturer.



Honey Annigre
913



Executive Mahogany
920



Spanish Mahogany
921



American Cherry
925




Renaissance Cherry
953




Brown Annigre
974



Amber Bamboo
975



Tropical Zebrawood
976



Bog Oak
977



American Walnut
978



Teak
980



Modern Makore
981



Golden Oak
983



Ashened Oak
985



Australian Eucalyptus
988



Smoked Eucalyptus
989



American Elm
991



Cabinetry Walnut
992




Gallery Walnut
994



Blond Sycamore
995



Coastal Eucalyptus
997



Vintage Limba
998

Laminart is a trademark proprietary to Laminart LLC.





WHY BOBRICK?

PORTFOLIO OF VALUES

BOBRICK

Architects, developers and facility managers have selected Bobrick's performance-engineered cubicles and partitions with confidence since 1970. As the market leader, Bobrick delivers building owner value through design excellence, multiple options, code compliance and long-lasting durability.

DESIGN

Specifiers choose from a variety of materials including Compact Grade Laminate (CGL), Solid Color Reinforced Composite (SCRC) and High Pressure Laminate (HPL) with a substantial selection of colors, patterns and woodgrains. Mounting configurations, Gap-Free® and Maximum Height privacy and hardware options are available.

DURABLE

CGL, SCRC and HPL are first quality, extra-durable cubicle and partition materials that score exceptionally high for graffiti-, impact- and scratch-resistance. Excellent maintainability is another measure of durability and results in long-term performance, minimizing costly repair and replacement expense.

SUSTAINABLE

Hardware is fabricated of 50%-70% post-industrial recycled stainless steel. Regional manufacturing and distribution facilities within 500 miles of 70% of the U.S. population conserve transportation energy consumption. Bobrick cubicles and partitions can contribute to LEED points.

COMPLIANT

Bobrick cubicles and partitions comply with the latest ASTM E 84 Flame Spread and Smoke Development index requirements for Interior Finishes. Bobrick will gladly provide accessibility consultation, including wheelchair accessibility compartment layouts, approaches, turning radiuses and reach range compliance.

HYGIENIC

Cleanability is a key factor in maintaining cubicles and partitions in a sanitary condition. CGL and SCRC surfaces, including doors, stiles and panels, feature Graffiti-Off® non-porous surfaces for easy graffiti removal and disinfection. Other materials with porous textures make cleaning more difficult.

PRIVACY

Architects and designers acknowledge that privacy is playing an increasingly vital role in restroom design. Bobrick answers these needs with privacy options on all of our cubicles and partitions.

THE BOBRICK ADVANTAGE


VALUE-ADDED SERVICES & PROGRAMS

UNPARALLELED EXPERTISE

Bobrick is proud to offer industry-leading products and expertise. For indispensable design, compliance and logistics support, find your architectural representative and other resources at bobrick.com.



Planning Guide for Accessible Restrooms



Washroom Accessories Catalog

RapidResponse®

When you require delivery on a tight deadline, Bobrick can ship certain materials within 2, 5, 10 and 20 days upon order approval.



BOBRICK COMPLIES

All Bobrick cubicle and partition materials are compliant with applicable fire code requirements.




SPANNING THE CONTINENT

Bobrick's regional manufacturing and distribution facilities are within 500 miles of 70% of the U.S. population, conserving transportation energy consumption and contributing to LEED Regional Materials credits.



LOCATIONS

- **Bobrick Washroom Equipment, Inc. Corporate Office**
Los Angeles, California
- **Bobrick Mid-Continent**
Jackson, Tennessee
- **Bobrick Eastern Division**
Clifton Park, New York





BUILDING VALUE SINCE 1906

Bobrick.com

| | | |
|---|--------------------------------|--|
| U.S. Corporate Office | 818.982.9600 | customerservice@bobrick.com |
| Canadian Offices | 877.423.6555 Eastern Canada | customerservice@bobrick.com |
| | 877.423.6444 Western Canada | |
| International Customer Sales | +1.818.764.1000 | international@bobrick.com |
| GAMCO Commercial Restroom Accessories A Division of Bobrick | 818.982.9600 | customerservice@bobrick.com |
| Koala Kare Products A Division of Bobrick | 888.733.3456 | customerservice@koalabear.com |
| Thrislington Cubicles A Division of Bobrick | +44 (0)12 4452 0677 | sales@thrislington-us.com |

Thrislington Cubicles, a Bobrick division, produces bespoke, high-end customized cubicles in a variety of materials, including glass. Explore options for your project at thrislingtoncubicles.com.



Colors are printed reproductions and are for descriptive purposes only. Refer to manufacturer's samples for absolute color fidelity. Color guides and samples are available from Bobrick on request. Material can vary in color between thicknesses and production batches. Where color consistency is critical, Traditional Compact Laminate DuraLineSeries 1080 is recommended. Discoloration of the edges may occur in environments with significant light exposure. Visit bobrick.com for the latest colors, patterns and woodgrains.

For product warranty information, please visit bobrick.com