


System



Material



Privacy



Design



# STEPS TO SPEC

HOW TO SPECIFY BOBRICK CUBICLES & PARTITIONS



BUILDING VALUE SINCE 1906

# STEPS TO SPEC


Bobrick cubicles and partitions are made-to-order and follow Steps to Spec, our consistent methodology.



## SELECT A BOBRICK SYSTEM




## SELECT A MATERIAL



### ■ PRIVADA<sup>®</sup> CUBICLES

An elevated, private experience with minimalist hardware. Recessed foot pedestals create “floating” effect.


- **High Pressure Laminate (HPL)** -  
*Class B Fire Rating*
  - **Wood Veneer Laminate** -  
*Class B Fire Rating*
- Reference Our Guide Spec - 2.2.A



### ■ EVOLVE CUBICLES

Enhanced privacy, depth and durability at an accessible price point. Spring-loaded pedestal actuates soft-close door.

- **Compact Grade Laminate (CGL)** -  
*Class A or Class B Fire Rating*
- Reference Our Guide Spec - 2.2.A.1



### ■ TRADITIONAL PARTITIONS

High-performance, budget-friendly toilet partitions that have stood the test of time.

- **DuraLineSeries<sup>®</sup> Compact Grade Laminate (CGL)** -  
*Class A Fire Rating (1180 Series)*  
*Class B Fire Rating (1080 Series)*
- **SierraSeries<sup>®</sup> Solid Color Reinforced Composite (SCRC)** -  
*Class B Fire Rating (1090 Series)*
- **DesignerSeries<sup>™</sup> High Pressure Laminate (HPL) with Standard Steel Core Stiles** -  
*Class B Fire Rating (1040 Series)*

Visit [bobrick.com](http://bobrick.com) for information on Budget HPL 1550 and 1540 Series.  
Reference Our Guide Spec - 2.2, 2.3, 2.4

r. To specify cubicles and partitions,  
y for customizing your design.

## NEXT STEPS

- Use Bobrick's Digital Spec Builder at [bobrick.com/digital-spec-tool](http://bobrick.com/digital-spec-tool) to generate your specification and deliverables.
- Contact your Bobrick architectural representative.

Find it all at [bobrick.com](http://bobrick.com).



## SELECT PRIVACY OPTIONS

### Height Options

- Standard: 72" doors & panels, 9" floor clearance
- Extended: Up to 96" doors & panels, 4" floor clearance

Reference Our Guide Spec - 2.2.B.1.a.3



## SELECT DESIGN OPTIONS

### Standard Features:

Invisible, overhead-braced aluminum frame; stainless steel hinge, hook and door occupancy latch; aluminum pedestal.

### Finish Options

- Stainless Steel Pedestal\*

Reference Our Guide Spec - 2.2.B.1.a.2

### Hardware Options

- Hands-free Latch\*

### Colors, Patterns & Woodgrains

Reference Our Guide Spec - 2.2.A

\* (Upcharge applies)

For Urinal Screens and Shower Compartments, visit [bobrick.com](http://bobrick.com)

### Height Option

- Standard: 72" gap-free doors & panels, 9" floor clearance
- Max: 79 5/8" gap-free doors & 80" panels, 1" floor clearance

Reference Our Guide Spec - 2.A.2.b.2

### Standard Features:

Overhead-braced aluminum frame; aluminum hook, occupancy indicator latch and pedestal. Soft door closure mechanism.

Reference Our Guide Spec - 2.2.A.6-7

### Colors, Patterns & Woodgrains

Reference Our Guide Spec - 2.2.A.1.c

For Urinal Screens and Shower Compartments, visit [bobrick.com](http://bobrick.com)

### Height Options

- Standard: 58" doors & panels, 12" floor clearance  
**Available On:** All
- Maximum: 71 3/4" doors & panels, 4 1/2" floor clearance  
**Available On:** All
- Extended: 84" to 96" doors & panels, 1" floor clearance  
**Available On:** DuraLineSeries CGL (Overhead-Braced and Floor-to-Ceiling only)

Reference Our Guide Spec - 2.2.A.1, 2.3.A.1, 2.4.A.1

### Gap Options

- Standard Reduced-Gap:  $\pm \frac{3}{32}$ " door-to-stile gaps,  $\frac{1}{2}$ " to 1" wall gaps  
**Available On:** All
- Gap-Free Doors & Stiles: Interlocking, sightline-free design  
**Available On:** DuraLineSeries CGL, SierraSeries SCRC

Reference Our Guide Spec - 2.2.A.2, 2.3.A.2

### Standard Features:

Standard concealed stainless steel barrel hinges adjust for partial opening or self-closing; stainless steel brackets and latch.

### Hardware Options

- Heavy Duty Full-Height Stainless Steel Brackets
- Occupancy Indicator Latch (Standard with Extended Privacy) (Part Number 1002612)

Reference Our Guide Spec - 2.2.J, 2.3.L, 2.4.J

### Mounting Configurations

- Floor-Anchored
- Overhead-Braced
- Floor-to-Ceiling
- Ceiling-Hung

Reference Our Guide Spec - 2.2.A.3, 2.3.A.3, 2.4.A.2

### Colors, Patterns & Woodgrains

Reference Our Guide Spec - 2.2.D.4, 2.3.F, 2.4.E.5

For Urinal Screens and Shower Compartments, visit [bobrick.com](http://bobrick.com)



## THE SUPPORT & EXPERTISE YOU NEED


Bobrick is proud to offer industry-leading products and design expertise. For indispensable design, compliance and logistics support, find your architectural representative and other resources at [bobrick.com](https://www.bobrick.com).



Cubicles & Toilet Partition Systems Catalog



A Planning Guide for Accessible Restrooms



Digital Spec Builder Powered by ATS



Case Studies

## CUSTOMER SERVICE HOTLINE FOR CUBICLES & PARTITIONS

[Bobrick.com](https://www.bobrick.com)

|   |  |  |
|---|--|--|
| <b>U.S. Corporate Office</b>  | 818.982.9600   | <a href="mailto:customerservice@bobrick.com">customerservice@bobrick.com</a>     |
| <b>Canadian Offices</b>   | 877.423.6555<br><b>Eastern Canada</b><br><br>877.423.6444<br><b>Western Canada</b> | <a href="mailto:customerservice@bobrick.com">customerservice@bobrick.com</a>     |
| <b>Thrislington Cubicles</b><br>A Division of Bobrick                 | +44 (0)12 4452 0677  | <a href="mailto:sales@thrislington-us.com">sales@thrislington-us.com</a>         |
| <b>International Customer Service</b>                                 | +1.818.764.1000  | <a href="mailto:international@bobrick.com">international@bobrick.com</a>         |
| <b>GAMCO Commercial Restroom Accessories</b><br>A Division of Bobrick | 818.982.9600   | <a href="mailto:customerservice@bobrick.com">customerservice@bobrick.com</a>     |
| <b>Koala Kare Products</b><br>A Division of Bobrick                   | 888.733.3456   | <a href="mailto:customerservice@koalabear.com">customerservice@koalabear.com</a> |



**BUILDING VALUE SINCE 1906**



**thrislington cubicles**